

COMPUTER LOGGING INCORPORATED

URANIUM DATA ANALYSIS

CLIENT: U.R.I.
 HOLE NO: ADAM #2
 DATE: 12-07-87

K-FACTOR= .00000630

DEADTIME (MICROSEC.)= .00000025

CORRECTION FACTOR= 1.150

DEPTH (FT)	RAW CPS	CORRECTED CPS	GRADE %U308	CUT #1 .020	CUT #2 .050	CUT #3 .080	CUT #4 .100
662.0	194.	194.	.003				
662.5	223.	223.	.003				
663.0	266.	266.	.004				
663.5	353.	353.	.005				
664.0	638.	638.	.009				
664.5	1170.	1171.	.017				
665.0	1649.	1650.	.024	.024			
665.5	1809.	1810.	.026	.026			
666.0	1686.	1686.	.024	.024			
666.5	1618.	1619.	.023	.023			
667.0	1789.	1790.	.026	.026			
667.5	2253.	2257.	.033	.033			
668.0	2321.	2322.	.034	.034			
668.5	1692.	1692.	.025	.025			
669.0	999.	999.	.014				
669.5	603.	604.	.009				
670.0	467.	467.	.007				
670.5	397.	397.	.006				

CUTOFF NUMBER 1

NUMBER OF HALF-FOOT INTERVALS: 8

AVERAGE GRADE=.027

GRADE-THICKNESS PRODUCT=.107